



2050 Metropolitan Transportation Plan

Appendix J | Sidewalk Needs



HOW TO GET INVOLVED IN THE 2050 PLAN



Online at MetroPlanOrlando.gov Learn more about how long range transportation planning works and sign up for our e-newsletter to get updates on comment opportunities



In Person

Invite us to attend your event or present to your group by contacting our community outreach staff. You can find out about our public meetings in the calendar section of our website



On Social Media

Connect with us on LinkedIn, Facebook, Twitter and YouTube to learn about transportation news and when we'll be out in the community



Requested Printed Material

If you don't have digital access and prefer information in paper form, you can make the request by calling the number below



Questions?

Contact our community outreach staff at MTP@MetroPlanOrlando.gov or (407) 481-5672

Legal Information

The preparation of this report has been financed in part through grants from the Federal Highway Administration and Federal Transit Administration, U.S. Department of Transportation, under the State Planning and Research Program, Section 505 [or Metropolitan Planning Program, Section 104(f)] of Title 23, U.S. Code. The contents of this report do not necessarily reflect the official views or policy of the U.S. Department of Transportation.

This document was developed for use by MetroPlan Orlando for planning purposes. MetroPlan Orlando is not liable for any direct, indirect, special, incidental or consequential damages (such as, but not limited to, damages of loss of profits, business savings or data) related to the use of this document or information produced as a result of this document or its interpretation. This information is publicly available and is provided with no warranty or promises of any kind whatsoever, express or implied, including warranties for merchantability or fitness for a particular purpose.

While every effort is made to confirm the accuracy of the information provided within this document and any analytical methods used to develop the information, no assurance of accuracy can be or is given. By using this document and the information in any way, the User is acknowledging this limitation, and is agreeing to use the document and the information therein at his or her own risk. Likewise, MetroPlan Orlando is committed to making this document accessible to all users. If you experience any difficulty or are unable to access any part of the document, please notify us at Info@MetroPlanOrlando.gov so we can assist with a solution.

TABLES

Table J-1 Sidewalk Needs List Table

Remainder of Page Intentionally Left Blank

Table J-1 | School Mobility & Hazardous Walking Conditions Program

Abbreviations: PLN/PD&E: Planning / Project Development & Engineering; PE: Preliminary Engineering; ENV: Environmental; CST: Construction; CEI: Construction Engineering Inspection; O&M: Operations & Maintenance

Metropolitan Transportation Plan (MTP) Needs	Category Description
School Mobility & Hazardous Walking Conditions Program	Sidewalk projects deemed to be critical to improve/expand the pedestrian travel network, including the School Mobility and Hazardous Walking Conditions Program

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			17th St, Budinger Ave, Columbia Ave, CR 523/Canoe Creek Rd/Partin Settlement			PLN/PD&E	\$ 0.122
			Rd, Creek Woods Dr/ Michigan Ave		4.07	PE	\$ 0.612
50254	Osceola	St. Cloud		5' Sidewalk and crosswalk improvements to Columbia Avenue, 17th Street		ROW	\$ 0.061
30234 Osceola 3	St. Gloud	From: Multiple locations To: -	and Lakeshore Boulevard.	4.07	ENV	\$ 0.844	
			10			CST	\$ 1.224
					CEI	\$ 0.122	
			2nd St / Snow Hill Rd, CR 419/Broadway St., Lake Mills Rd, Old Lockwood Rd Seminole County From: Multiple locations To: -	Sidewalk		PLN/PD&E	\$ 0.243
						PE	
50272	Seminole				4.63	ROW	\$ 0.122
						ENV	
						CST	
						CEI	
						PLN/PD&E	
			2nd St / Snow Hill Rd, Snow Hill Rd			PE	
50273	Seminole	Seminole County	From: Multiple locations	Sidewalk	3.25	ROW	
		County	From: Multiple locations To: -			ENV	
						CST	
						CEI	\$ 0.171

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			33rd St, Business Center Blvd, CR-439, Kaley Ave/Kaley St, L.B. McLeod Road, L.B. McLeod Rd, Michigan St, Pine Hills			PLN/PD&E	
			Rd, W Amelia St / Paul St			PE	\$ 1.247
E0227	50327 Orange Oran	Oranga Caunty		Sidovalle		ROW	\$ 0.125
50527		Orange County	From: Multiple locations To: -	Sidewalk	4.74	ENV	\$ 1.719
						CST	\$ 2.493
						CEI	\$ 0.249
		orange County	4th St in Taft, Landstreet Rd, SR-527 &	d Sidewalk		PLN/PD&E	\$ 0.218
			SR-426, Wetherbee Rd			PE	
50335	Orange				4.14	ROW	
			From: Multiple locations To: -		ENV		
						CST	
			9th St, Bay Street, Penn Ave, Maple St,			CEI	
			Roberson Rd, Story Rd, Windermere Rd /			PLN/PD&E	
			Tomyn Rd			PE	\$ 1.027
50195	Orange	Winter Garden		Sidewalk	3.90	ROW	\$ 0.103
30133	Orange	willer daluell	From: Multiple locations To: -	From: Multiple locations	3.30	ENV	\$ 1.416
			10			CST	\$ 2.054
						CEI	\$ 0.205

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Tot Project (2025 Shown in	et Cost 5 \$'s)
			A.D. Mims Road, E Orlando Ave/White Rd, Good Homes Rd, Gotha Rd, Gotha Rd / 6th St / Hempel Ave, Hiawassee/Lake			PLN/PD&E	\$	0.251
			Stanley/Apopka Vineland/Clarcona, Steer Lake Rd / Edgewood Ranch Rd, Westover Roberts Rd, Wilkening Farms Rd			PE	\$	1.257
50150	Orange (Orange County		Sidewalk	4.78	ROW	\$	0.126
30130		orange county	From: Multiple locations To: -		4.70	ENV	\$	1.734
						CST	\$	2.515
						CEI	\$	0.251
			A.D. Mims Rd, E Orlando Ave/White Rd, Maguire Rd, Ocoee Hills Rd, Rewis St,			PLN/PD&E	\$	0.210
			Flewelling, Russell Rd, Jamela Dr, SR438, SR439, SR545-SR50, Wurst Rd	, Please consider 6' sidewalks. The City's LDC, which is being revised will	3.99	PE	\$	1.049
50199	0,,,,,,,,,					ROW	\$	0.105
50199	Orange	Ocoee	From: Multiple locations To: -	require 6' sidewalks.		ENV	\$	1.446
						CST	\$	2.097
						CEI	\$	0.210
			Airport Blvd, Brisson Ave, Sipes Ave, W			PLN/PD&E	\$	0.198
			Airport Blvd			PE		0.991
50269	Seminole	Seminole County	From: Multiple locations	Sidewalk	3.77	ROW		0.099
		County	To: -			ENV		1.366 1.981
						CEI		0.198

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Alafaya Trl, Cypress Springs Pkwy,			PLN/PD&E	\$ 0.181
			Econlockhatchee Trl, Goldenrod Rd, Tyson Rd/Kirby Smith Rd, Young Pine Rd			PE	\$ 0.903
50404	0				3.43	ROW	\$ 0.090
50191	Orange	range Orange County	From: Multiple locations To: -	Sidewalk		ENV	\$ 1.246
						CST	\$ 1.807
					CEI	\$ 0.181	
			Amelia St, Bentley St, Livingston St, Central Ave, Mills Ave, Primrose Ave, SR-			PLN/PD&E	\$ 0.122
			15 From SR-528 To CR-527			PE	\$ 0.608
50212	Orange	Orlando		Sidewalk	2.31	ROW	
	S		From: Multiple locations To: -			ENV	
						CST	
						CEI	\$ 0.122
			Anchor Rd / Plumosa Ave / Lyman Rd, CR- 427, Lake Howell Rd, Lake Of The Woods Blvd, Oranole Rd, Oxford Rd, Seminola			PLN/PD&E	\$ 0.216
			Blvd, Oranole Rd, Oxford Rd, Seminola Blvd / Lake Dr, Spartan Dr / Derbyshire Rd, Springlake/O'Brien Rd			PE	\$ 1.078
50060	Caminala	Seminole		Cidovalle	4.40	ROW	\$ 0.108
50262	Seminole	County	From: Multiple locations To: -	Sidewalk	4.10	ENV	\$ 1.486
						CST	\$ 2.156
						CEI	\$ 0.216

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Anderson Rd/Hurd Ave, Conway/Gatlin/Dixie/Pershing, Conway Gardens Rd, Crystal Lake Dr, Fern Creek Ave, Jersey Ave / Michigan St, Kaley St / Kaley Ave, Lake Margaret Dr, Michigan St, Peel Ave / Primrose Dr, Triangle & Grant St			PLN/PD&E	\$ 0.235
				,	4.46	PE	\$ 1.173
50339	Orange	Orange County	From Multiple legations			ROW	\$ 0.117
			From: Multiple locations To: -			ENV	\$ 1.618
						CST	\$ 2.347
			Anderson St. Avendale Ave. Brieveliff Dr. /			CEI	\$ 0.235
			Anderson St, Avondale Ave, Briercliff Dr / Fern Creek Ave, Columbia St, Curry Ford Rd, Greenbriar Pkwy, Hughey Ave, Mills Ave, Orange Ave., 1-Way SB, Parramore			PLN/PD&E	\$ 0.204
			Ave, Robinson St, South St, Summerlin Ave, Tallokas Ave/19th St, Tampa Ave, Vineland Rd			PE	\$ 1.019
50211	Orange	Orlando	From: Multiple locations To: -	Sidewalk	3.87	ROW	\$ 0.102
						ENV	\$ 1.405
						CST	\$ 2.038
						CEI	\$ 0.204

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Armstrong Blvd, Commerce Blvd, Dyer			PLN/PD&E	\$ 0.220
			Blvd, Hoagland Blvd, Mabbette St, Palmetto Ave / Clyde Ave, Patrick St			PE	\$ 1.099
50250	Osceola	Kissimmee		Add 6ft sidewalk where sidewalks are not present	4.18	ROW	\$ 0.110
		Nissimmee	From: Multiple locations To: -		4.10	ENV	\$ 1.516
						CST	
						CEI	
		Orange County	Atlantic Ave, Boggy Creek Rd, CR-506, Hoffner Ave, Jetport Dr, Landstreet Rd,			PLN/PD&E	
			McCoy Rd, Nela Ave, Seminole D			PE ROW	
50337	Orange		From: Multiple locations To: -	Sidewalk	4.22	ENV	
							\$ 2.218
						CEI	
			Balmy Beach Dr, Bear Lake Rd, Bunnell Rd / West Town Pkwy, Douglas Ave, Eden Park Rd: Orange-McNeil Rd, Holiday Ave, Hunt Club Blvd, McNeil Rd / Pearl Lake Cswy, Raymond Ave/North St, Sand Lake Rd/Line Dr, Wekiva Springs Rd Seminole County From: Multiple locations To: -			PLN/PD&E	\$ 0.196
						PE	\$ 0.978
50261	Seminole	Seminole			3.72	ROW	\$ 0.098
00201	Germinere	County				ENV	\$ 1.349
						CST	\$ 1.956
						CEI	\$ 0.196

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	
			Bass Hwy			PE	
50243	Osceola	Osceola County	5 M W. I. I	Bass Hwy needs sidewalk on one side from Pine Grove Rd to Justin Matthew Way and on both side from Justin Matthew Way to the end point	3.71	ROW	
			From: Multiple locations To: -	way and on both side from Justin Matthew way to the end point		ENV	
						CST	
						CEI	\$ 0.195
	50231 Osceola Osceola County			Bass Road needs sidewalk along the west side of the roadway from Waterford Way to Gardenstone Ct and along the east side of the roadway from Paradise Cove Ct to the plaza access road on the right side of Bass Road		PLN/PD&E	\$ 0.283
			Bass Rd, Lake Cecile Dr, Old Vineland Rd, Princess Way/Seven Dwarfs Ln y From: Multiple locations To: -	·		PE	\$ 1.415
50231		Osceola County			5.38	ROW	\$ 0.141
33231					0.00	ENV	\$ 1.951
						CST	\$ 2.829
				Dwarfs Ln from Club Cortille Cir to east of the Sam's Club plaza entrance along Seven Dwarfs Ln.		CEI	\$ 0.283
				Sidewalks along Bella Citta Blvd run along the southern side of the roadway		PLN/PD&E	\$ 0.259
			Bella Citta Blvd, Goodman Rd, Osceola Polk Line Rd	from US 27 to just before Whispering Straits Blvd and along the northern side of the roadway from US 27 to passed Bella Citta Elementary and from just		PE	\$ 1.295
50004				west of Whispering Straits Blvd to South Goodman Road 2. Sidewalks along Goodman Road will need to be added to the following	4.00	ROW	\$ 0.129
50224	Osceola	Osceola County	From: Multiple locations To: -	segments: to the east of Goodman Road from Bella Citta Blvd to Villa Flora Way and to the north of Goodman Road from the edge of Cortland	4.92	ENV	\$ 1.785
				Championsgate to Tuscana Lane 3. Sidewalks have already been added to the south of the Osceola Polk Line		CST	\$ 2.590
				Road		CEI	\$ 0.259

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Bennett Rd, Fern Creek Ave, Formosa Ave, Highland Ave, Marks St, Mercy Dr, New Hampshire St/Formosa St, Par St,			PLN/PD&E	\$ 0.192
			Rio Grande Ave, Rosamond Dr, Shader Rd, Smith St, SR-424/SR-434, SR 438 / Princeton St, Westmoreland Dr			PE	\$ 0.959
50210	Orange	Orlando		Sidewalk	3.64	ROW	\$ 0.096
30210	Orango	Change	From: Multiple locations To: -		3.04	ENV	\$ 1.322
						CST	\$ 1.917
			Beulah Road, CE 545 / Avalon Rd,		CEI	\$ 0.192	
			Beulah Road, CE 545 / Avalon Rd, Roberson Rd, S 4th St, Windermere Rd,			PLN/PD&E	\$ 0.203
			Windermere Rd / Tomyn Rd			PE	
50148	Orange	Orange County	Eram, Multiple legations	Sidewalk	3.86	ROW	
			From: Multiple locations To: -			ENV	
						CST CEI	
			Bluford Ave, Clarcona-Ocoee Rd, E. Crown			PLN/PD&E	\$ 0.176
			Point Rd, Lakewood Ave, Palm Dr, Rewis St, Flewelling, SR-437 & CR-437, West Rd			PE	\$ 0.880
50200	Orange	Ocoee		Sidewalk	3.34	ROW	\$ 0.088
	Ŭ.		From: Multiple locations To: -			ENV	\$ 1.213
						CST	\$ 1.760
						CEI	\$ 0.176

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Boggy Creek Rd, Columbia Ave,			PLN/PD&E	\$ 0.057
			Hoagland/Carroll St, Mill Slough Rd, Smith Street			PE	\$ 0.283
50050	0	Wie eine me		Add 6ft sidewalk where sidewalks are not present	1.07	ROW	\$ 0.028
50252	Osceola	Kissimmee	From: Multiple locations To: -			ENV	\$ 0.390
			10			CST	\$ 0.565
						CEI	\$ 0.057
			Boggy Creek Rd, Boggy Creek SB, J			PLN/PD&E	\$ 0.212
			Lawson Blvd, Landstar Blvd, Wetherbee Rd County From: Multiple locations To: -			PE	\$ 1.062
50220	0	0		Cidewall	4.04	ROW	\$ 0.106
50336	Orange	Orange County		Sidewalk	4.04	ENV	\$ 1.464
						CST	\$ 2.124
						CEI	\$ 0.212
			Boggy Creek Rd, Tradeport Dr, Tradeport			PLN/PD&E	
			Dr	Sidewalk		PE	
50213	Orange	Orlando			4.03	ROW	
			From: Multiple locations To: -			ENV	
						CST CEI	
						PLN/PD&E	
			Bradshow Rd, CR 437-A, CR 437A (Re- Alignment), SR-437 & CR-437			PE	
			g,, 2 13. & 3 13.			ROW	
50154	Orange	Orange County	From: Multiple locations	Sidewalk	4.19	ENV	
			To: -			CST	\$ 2.207
					CEI	\$ 0.221	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Bradshaw Rd, Edgewater Dr/Highland			PLN/PD&E	\$ 0.177
			Ave, Marshall Lake Rd, S Hawthorne Ave			PE	\$ 0.883
50202	50202 Orange	Apopka		Sidewalk	3.36	ROW	\$ 0.088
		From: Multiple locations To: -			ENV	•	
						CST	
						CEI	
		Brown Chapel Rd, Brown Chapel Rd Realignment, CR 523/Canoe Creek			PLN/PD&E	\$ 0.210	
			Rd/Partin Settlement Rd	A multi-use path has been constructed along Lakeshore Blvd. Please		PE	\$ 1.051
			remove Lakeshore Blvd from the list		ROW	\$ 0.105	
50239	50239 Osceola Os	Osceola County	From: Multiple locations	Brown Chapel Rd needs sidewalk on both side from E Lakeshore Rd to Commerce Center Dr and on one side from Commerce Center Dr to N of US	4.00	ENV	\$ 1.449
			To: -	192		CST	\$ 2.102
						CEI	\$ 0.210
						021	ψ 0.210
			Buenaventura Blvd, CR 525/Neptune	Buenaventura Blvd already has sidewalk in place from Florida's Pkwy to Simpson Rd, so this segment is no longer needed for this sidewalk bundle.		PLN/PD&E	\$ 0.222
			Rd/Kissimmee Park Rd, Florida Pkwy,			PE	\$ 1.111
			Jalapa Dr, Royal Palm Dr, Simpson Rd	1. Simpson Rd needs sidewalk along both sides of the roadway from Irlo			¥ 1.111
				Bronson Memorial Hwy to Florida's Turnpike except for a few small segments. 2. Florida's Pkwy needs sidewalk to the north of the roadway from Jalapa Dr		ROW	\$ 0.111
50237	Osceola	Osceola County	From: Multiple locations	to Buenaventura Blvd. 3. Jalapa Dr needs sidewalk to the east of the roadway from Hidalgo Ave to	4.22		
			То: -	Royal Palm Dr.		ENV	\$ 1.532
				Royal Palm Dr needs sidewalk to the south of the roadway from Buenaventura Blvd to Simpson Rd.		CST	\$ 2.222
				Buenaventura Blvd needs sidewalk to the north of the roadway from west			
				of Archie Gordon Memorial Park to Briarwood Dr.		CEI	\$ 0.222

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Bumby Ave, Conway Gardens Rd, Crystal Lake Dr, Curry Ford Rd, Dahlia Dr/Oxalis			PLN/PD&E	\$ 0.210
			Dr, Fern Creek Ave, Lake Underhill Rd, Peel Ave / Primrose Dr			PE	\$ 1.052
						ROW	\$ 0.105
50340	Orange	Orange County		Sidewalk	4.00	ENV	\$ 1.451
						CST	\$ 2.104
					CEI	\$ 0.210	
			Bumby Ave, CR-506, Fern Creek Ave, Gatlin, Bumby, Pershing Ave, Summerlin Ave, Baxter, Osceola range County From: Multiple locations To: -			PLN/PD&E	\$ 0.249
						PE	\$ 1.245
50338	Orange	Orange County		Sidewalk 4.73	4 73	ROW	\$ 0.124
00000	Orango				0	ENV	\$ 1.716
						CST	\$ 2.489
						CEI	\$ 0.249
			Calloway Dr / Campo Way, Lake Orlando Pkwy / Lake Breeze Dr, Magnolia Holmes			PLN/PD&E	\$ 0.222
			Rd, Mercy Dr, Mott Rd/Beggs Rd/Eden Park Rd, Rose Ave			PE	\$ 1.109
50324	Orange	Orange County		Sidewalk	4.21	ROW	\$ 0.111
50324	Orange	orange county	From: Multiple locations To: -	Sluewalk	4.21	ENV	\$ 1.529
			10: -			CST	\$ 2.218
						CEI	\$ 0.222

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions	
			Carrier Dr, Grand National Dr / Oak Ridge Rd, Hollywood Way, Major Blvd, Universal			PLN/PD&E	\$ 0.150	
			Blvd			PE	\$ 0.748	
50209	Orange	Orlando	Orlando From: Multiple locations To: -	Sidewalk	2.84	ROW	\$ 0.075	
30203	Grange Grande	Onando		Sidewalk	2.04	ENV	\$ 1.031	
						CST	\$ 1.495	
						CEI	\$ 0.150	
			Carroll St, Central Ave, Donegan Ave, Old	Carroll St needs sidewalks along both sides of the roadway from Lucille St to Old Dixie Hwy aside from a few small sections where only sidewalk along		PLN/PD&E	\$ 0.253	
			Dixie Hwy, Smith St	the north side of the roadway is needed.		PE		
50236	Osceola	Osceola County		Both Highland Ave and Jackson St will need sidewalk along both sides of the roadway from Donegan Ave to US 441.	4.81	ROW	\$ 0.127	
			10: -	3. Old Dixie Hwy and E Donegan Ave will need sidewalks along both sides of		ENV		
		1. Celebration Place Celebration Pl, International Dr, Osceola NOT shown as par		their roadways. 4. Smith St will need sidewalk along the east side of the roadway from Ross		CST		
			1 Calabration Plan	St. to E Donegan Ave.		CEI	•	
			Celebrat		 Celebration Place is part of Osceola County's ADA Transition Plan and IS NOT shown as part of MTP's OSC-06 Bundle. Celebration Place needs 		PLN/PD&E	
			sidewalks to the west of the roadway from Celebration Blvd to west of		PE	\$ 1.278		
50229	Osceola	Osceola County		Parkway Blvd. 2. International Drive needs sidewalks to the east of the roadway from	4.86	ROW	\$ 0.128	
00220	Coocola	occoria ocumy	From: Multiple locations To: -	Interior Street to the Osceola/Orange County line and to the west of the roadway from Osceola Parkway to the Osceola/Orange County line.		ENV	\$ 1.762	
				3. Osceola Parkway needs sidewalks along both sides of the roadway from		CST	\$ 2.556	
				the I-W EB on ramp to just west of the SR 417 NB on ramp (Osceola Pkwy EB direction).		CEI	\$ 0.256	
			Central Ave, Clay St/Randolph Ave,			PLN/PD&E	\$ 0.205	
			CR531/531A, Palmetto Ave / Clyde Ave, Penfield St/Lakeview Dr/E Dakin Ave			PE	\$ 1.023	
						ROW	\$ 0.102	
50251	Osceola	Kissimmee	Kissimmee From: Multiple locations To: -	Add 6ft sidewalk where sidewalks are not present	3.89	ENV	\$ 1.411	
						CST	\$ 2.047	
						CEI	\$ 0.205	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Central Florida Pkwy, Palm Pkwy, Turkey			PLN/PD&E	\$ 0.224
			Lake Rd, Turkey Lake Rd (Re-Align.), Vineland Ave			PE	\$ 1.118
50328	50328 Orange	Orange County		Sidewalk	4.25	ROW	\$ 0.112
50328	Orange	Orange County	From: Multiple locations To: -	Sidewalk	4.25	ENV	\$ 1.542
			10.			CST	\$ 2.236
						CEI	\$ 0.224
			Challenger Pkwy, Lake Pickett Rd,			PLN/PD&E	
			Lokanotosa Trl, Percival Rd, Woodbury Rd range County From: Multiple locations To: -			PE	
50186	Orange	nge Orange County		Sidewalk	3.86	ROW	
						ENV	
			,			CST CEI	
					PLN/PD&E		
			Chanceller & Central, Holden Ave, Luzon Dr, Rio Grande Ave, Texas Ave		3.84	PEN/PDQE PE	
						ROW	
50333	Orange	Orange County	From: Multiple locations	Sidewalk		ENV	
			To: -			CST	
						CEI	
			Chanceller & Central, Orlando Cent Pkwy,			PLN/PD&E	\$ 0.216
			Premier Row, Sand Lake Rd/Mccoy Rd/Beachline Expy			PE	\$ 1.082
50220	0	0		Cidowalli	4.44	ROW	\$ 0.108
50332	Orange	Orange County	From: Multiple locations	Sidewalk	4.11	ENV	\$ 1.492
			To: -			CST	\$ 2.165
						CEI	\$ 0.216

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions		
			Chase Rd/Main St, Gotha Rd / 6Th St / Hempel Ave, Lake Butler Blvd/Park Ave,			PLN/PD&E	\$ 0.202		
	50149 Orange Orange		Windermere Rd, Windy Ridge Rd / Hempel Ave			PE	\$ 1.009		
			0	·			ROW	\$ 0.101	
50149		Orange County	From: Multiple locations To: -	Sidewalk	3.84	ENV	\$ 1.392		
						CST	\$ 2.019		
				CEI					
			Chase Rd/Main St, Lake Butler Blvd/Park Ave			PLN/PD&E PE			
			AVC			ROW			
50196	Orange	Windermere	From: Multiple locations	Add wide sidewalk or trail	0.26	ENV			
				To: -			CST	\$ 0.136	
						CEI	\$ 0.014		
						Chickasaw Trl, Econlockhatchee Trl, Lake Underhill Rd/Waterford Chase Pkwy, Lake		PLN/PD&E	\$ 0.225
			Underhill Dr			PE	\$ 1.124		
50190	Orongo	Oranga Cauntu		Cidewall	4.27	ROW	\$ 0.112		
50190	Orange	Orange County	From: Multiple locations To: -	Sidewalk	4.27	ENV	\$ 1.550		
			10: -			CST	\$ 2.248		
						CEI	\$ 0.225		
			Chickasaw Trl, Harrell Rd / Trevarthon Rd,			PLN/PD&E	\$ 0.231		
			Old Cheney Hwy			PE	\$ 1.154		
50341	Orange	Orange County		Sidewalk	4.38	ROW			
	Ç.		From: Multiple locations To: -			ENV			
	To: -			CST					
						CEI	\$ 0.231		

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Chuluota Rd/CR-419, CR 420/Lake			PLN/PD&E	
			Pickett Rd/Fort Christmas Rd			PE	
50187	Orange	Orange County		Sidewalk	4.33	ROW	
			From: Multiple locations To: -			ENV	
			.0.			CST	
						CEI	
			01.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.			PLN/PD&E	
			Chuluota Rd/CR-419, S Tanner Rd			PE ROW	
50189	Orange	Orange County	From: Multiple locations	Sidewalk	4.30	ENV	
			To: -			CST	
						CEI	
		ge Orange County		Clarcona-Ocoee Rd, Hiawasse/Lake Stanley/Apopka Vineland/Clarcona,		PLN/PD&E	
				Lakewood Ave, SR-437 & CR-437, Wurst Rd			PE
50152	Orange		ange County	Sidewalk	4.35	ROW	\$ 0.114
		g	From: Multiple locations To: -			ENV	\$ 1.578
						CST	\$ 2.289
						CEI	\$ 0.229
			Clay St, Formosa Ave, Kennedy/Lake Ave,			PLN/PD&E	\$ 0.218
			Minnesota Av, Shader Rd, Silver Star Rd			PE	\$ 1.091
50325	Orange	Orange County		Sidewalk	4.15	ROW	\$ 0.109
30323	Orange	Grange County	From: Multiple locations	Glacwain	4.15	ENV	\$ 1.505
		To: -			CST	\$ 2.183	
						CEI	\$ 0.218

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Proj (20	Total lect Cost 025 \$'s) on in Millions	
			Conway Rd, Jetport Dr, Judge Rd, Lee Vista Blvd (Re-Align. 75000260), McCoy			PLN/PD&E	\$	0.227	
			Rd / N Frontage Rd, Tradeport Dr			PE	\$	1.136	
50215	Orange	Orlando	- M. N. L. L. V.	Sidewalk	4.32	ROW	\$	0.114	
			From: Multiple locations To: -			ENV	\$	1.566	
						CST	\$	2.271	
						CEI	\$	0.227	
			Corporate Blvd, Econlockhatchee Trl, Hall Rd/University B, McCulloch Road, Rouse			PLN/PD&E	\$	0.231	
			Rd/Mcculloch Rd, SR 551; SR15 To SR426	ch Rd, SR 551; SR15 To		PE	\$	1.153	
						ROW	\$	0.115	
50185	Orange	Orange County		Sidewalk	4.38	ENV	\$	1.590	
						CST		2.307	
						CEI			
			Country Club Rd/W 20th St, CR 46A, E Wilbur Ave/Old Lake Mary Rd, Old Lake					0.231	
						PLN/PD&E		0.233	
			Mary Rd, Southwest Rd, 13th St			PE		1.167	
50268	Seminole	Seminole County	From: Multiple locations	Sidewalk	4.44	ROW		0.117	
		County	To: -			ENV		1.609	
						CST		2.335	
						CEI		0.233	
			Country Club Rd/W 20Th St, Mellonville Ave/Seminole Blvd, Park Dr/Park Ave,			PLN/PD&E		0.209	
			Persimmon, Southwest Rd,13Th St			PE		1.044	
50278	Seminole	Sanford	From: Multiple locations	Sidewalk	3.97	ROW ENV		0.104 1.440	
			To: -			CST		2.089	
							CEI		0.209

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.210
			CR 425/Sanford Ave			PE	\$ 1.048
50270	Seminole	Seminole		Sidewalk	3.98	ROW	
002.0	County	County	From: Multiple locations To: -	oldo Itali.	0.00	ENV	\$ 1.444
			10			CST	
				CEI			
			Sidewalk			PLN/PD&E	
						PE	
50265	Seminole	eminole Seminole County		Sidewalk	3.67	ROW	
			From: Multiple locations To: -			ENV	
						CST	
			00,500,00 0 1,01,00 1;			CEI	
			CR 523/Canoe Creek Rd/Partin Settlement Rd, Creek Woods Dr/		PLN/PD&E	\$ 0.146	
			Michigan Ave, New York Ave, Orange Ave			PE	\$ 0.731
				5' Sidewalk and crosswalk improvements to Vermont Avenue, New York Avenue, and Michigan Avenue.		ROW	\$ 0.073
50255	Osceola	St. Cloud	From: Multiple locations		4.86	ENV	\$ 1.008
			To: -			CST	\$ 1.462
						CEI	
			CR 523/Canoe Creek Rd/Partin Settlement Rd			PLN/PD&E PE	
			Settlement Ka	Canoe Creek needs sidewalk along the east side from Pine Tree Dr to the		ROW	
50245	Osceola	Osceola County	From: Multiple locations	entrance of Cornerstone Family Church. From Creek Wood Rd to 17th st,	4.26	ENV	
			To: -	sidewalk is needed on both side		CST	
						CEI	•

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions	
			CR 523/Canoe Creek Rd/Partin			PLN/PD&E	\$ 0.188	
		Rd	Settlement Rd, Lakeshore Blvd & Fortune Rd	une		PE	\$ 0.941	
50238	Osceola	Osceola County	From: Multiple locations To: -	Sidewalk	3.58	ROW	\$ 0.094	
	55255	ĺ				ENV		
						CST		
				:		CEI		
			Creek Rd or	Canoe Creek Rd needs sidewalk only on one side (only part of the roadway) from Pine Tree Drive to Crossing creek Blvd, only on one side from Whakes Creek Blvd to Deer Run Rd and on both side from Deer Run Rd to south of Quail Roost Rd. Old Canoe Creek Rd needs sidewalk only on one side from S of Clay Whaley Rd to S of Keystone Pointe Dr Nolte Rd needs sidewalk along the North side from E of Villa Way Cir to		PLN/PD&E		
						PE		
50247	Osceola	Osceola County			4.02	ROW ENV		
			To: -			CST		
				Pine Chase Cir		CEI		
			CR 545 / Avalon Rd, Lake Butler Blvd/Park Ave, Lakeview Ave, Park Ave, SR 535/CR 535 Winter Garden-Vineland			PLN/PD&E		
			Rd, SR 438,439; SR 545 - SR 50, Stoneybrook Pkwy EB, Story Rd			PE	\$ 1.347	
50193	Orange	Winter Garden		Sidewalk	5.12	ROW	\$ 0.135	
			From: Multiple locations To: -	5.55	5.22	ENV	\$ 1.858	
							CST	\$ 2.695
						CEI	\$ 0.269	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions						
			CR 545 / Avalon Rd, Malcolm Rd, Tilden			PLN/PD&E							
			Rd			PE							
50147	Orange	Orange County	France Multiple Japations	Sidewalk	4.18	ROW							
			From: Multiple locations To: -			ENV							
						CST CEI							
						PLN/PD&E							
			CR 545 / Avalon Rd, Phil Ritson Way, Schofield Rd			PE							
			367.67.64			ROW							
50145	Orange	Orange County	From: Multiple locations	Sidewalk	4.41	ENV	\$ 1.599						
			To: -			CST	\$ 2.319						
					ı	CEI	\$ 0.232						
			CR-439, Kissimmee Ave, Marshall Farms			PLN/PD&E	\$ 0.228						
									Rd, Roberson Rd, Story Rd, Windermere Rd / Tomyn Rd			PE	\$ 1.140
			From: Multiple locations	Please consider 6' sidewalks. The City's LDC, which is being revised will require 6' sidewalks.		ROW	\$ 0.114						
50197	Orange	Ocoee			4.33	ENV	\$ 1.572						
			To: -			CST	\$ 2.280						
						CEI							
			CR531/531A, Hoagland Blvd, Old Tampa	Old Tampa Hwy goes underneath S Hoagland Blvd and intersects with Jack		PLN/PD&E	\$ 0.226						
			Hwy	Calhoun Dr. There does not appear to be any work needed at/along Hoagland Blvd with this Sidewalk Bundle. Please remove Hoagland Blvd and add Jack		PE	\$ 1.131						
				Calhoun Dr.		ROW	\$ 0.113						
50235	Osceola	Osceola County	From: Multiple locations	Old Tampa Hwy will need sidewalks along both sides of the roadway from west of Broad St to Pleasant Oaks Ct and on the north side of the roadway	4.30	ENV	\$ 1.560						
		To: -	from Pleasant Oaks Ct to Jack Calhoun Dr.										
			2. Jack Calhoun Dr will nee	Jack Calhoun Dr will need sidewalks along the east side of the roadway from Baker St. to Pershing St.		CST	\$ 2.262						
				nom band of to retailing of		CEI	\$ 0.226						

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions						
						PLN/PD&E	\$ 0.285						
			Michigan Ave to Hickory Tree Rd 2. Old Hickory Tree Rd needs sidewalk on both side from Brammerc	1. Nolte Rd needs sidewalk only on one side (part of the roadway) from		PE	\$ 1.427						
50244	Osceola	Osceola County			5.42	ROW	\$ 0.143						
			From: Multiple locations To: -	Blvd to N of Hamlin Ave	5112	ENV	\$ 1.967						
			10			CST							
					CEI								
						PLN/PD&E							
			Deer Run Rd			PE							
50249	Osceola	Osceola County	F M. H. J. J	Deer Run Road needs sidewalk on both side of the roadway from east of	4.29	ROW							
		From: Multiple locations Canoe Creek Rd (SWB.OSC-28) to Hickory Tre	Canoe Creek Rd (SWB.05C-28) to Hickory Tree Rd		ENV								
						CST							
						CEI							
		ola Osceola County				PLN/PD&E							
								Deer R	Deer Run Rd, Friar's Cove Rd	riar's Cove Rd 1. Deer Run Road needs sidewalk on both side of the roadway from the intersection of Canoe Creek Rd to the SWB.OSC-28 project Limit.		PE	
50248	Osceola		From: Multiple locations To: -	Friar's Cove Rd needs sidewalk on both side of the roadway from the starting point at the west to Esprit Ln. From Esprit Ln to the Canore Creek	4.01	ROW							
						ENV CST	•						
				intersection, Friars Cove Rd needs sidewalk only on one side		CEI							
			Dennings Ave, Glenridge/Lakemont Ave,				•						
			Lakemont Ave, Lochberry/Brookshire,			PLN/PD&E	\$ 0.282						
			New York Ave, Palmer Ave, Park Ave, Phelps Ave, Temple Dr, Webster Ave			PE	\$ 1.412						
50206	Orange	Winter Park		Implement sidewalk in areas where there are no sidewalks present.	5.37	ROW	\$ 0.141						
50200	Orange	willer ratk	From: Multiple locations To: -	implement sidewalk in aleas where there are no sidewalks present.	0.31	ENV	\$ 1.947						
			10: -			CST	\$ 2.825						
						CEI	\$ 0.282						

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions							
			Dillard St/Surp Dr, E. Crown Point Rd, Lakeview Ave, Park Ave, Penn Ave, Maple			PLN/PD&E	\$ 0.236							
			St, SR438, SR439, SR545-SR50, Story Rd, Tilden St			PE	\$ 1.182							
	50194 Orange Wi			From: Multiple locations		ROW	\$ 0.118							
50194		Winter Garden	From: Multiple locations To: -		4.49	ENV	\$ 1.630							
						CST	\$ 2.365							
						CEI	\$ 0.236							
			Douglas Ave, Orange Ave,			PLN/PD&E								
			Springlake/O'Brien Rd			PE								
50274	Seminole	Altamonte Springs		Critical Sidewalk Gaps	0.72	ROW								
			Springs	Springs	Springs	Springs	Springs	Springs	Springs	From: Multiple locations To: -			ENV	
				•			CST							
					CEI									
			E Bronson Hwy/13 St/Vine St, E Irlo			PLN/PD&E PE								
			Bronson Mem Hwy	510:1		ROW								
50259	Osceola	FDOT	From: Multiple locations	5' Sidewalk and crosswalk improvements on both sides of 13th Street from Narcoossee Road to Pine Grove Road	3.68	ENV								
			To: -			CST								
						CEI								
						PLN/PD&E								
			E Irlo Bronson Mem Hwy			PE								
F0000		EDOT	,	0.1	0.00	ROW	\$ 0.089							
50260	Osceola	FDOT	From: Multiple locations	Sidewalk	3.39	ENV								
			To: -			CST	\$ 1.786							
					CEI	\$ 0.179								

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Proje (20)	otal ect Cost 25 \$'s) in Millions												
			E Wilbur Ave/Old Lake Mary Rd, SR-			PLN/PD&E	\$	0.012												
			15/SR-600/CR-15			PE	\$	0.058												
50279	Seminole	Lake Mary		Sidewalk	0.22	ROW	\$	0.006												
552.5	0011111010	Zano mary	From: Multiple locations To: -	oldo Italii.	0.22	ENV		0.080												
			10			CST		0.116												
						CEI		0.012												
						PLN/PD&E		0.226												
			E Crown Point Rd, SR-437 & CR-437			PE		1.129												
50151	Orange	Orange County	Frame Multiple legations	Sidewalk	4.29	ROW		0.113												
			From: Multiple locations To: -			ENV		1.557												
						CST CEI		2.259												
			Faceleal/hatches Till Las Vista Dhyd Las					0.226												
			Econlockhatchee Trl, Lee Vista Blvd, Lee Vista Blvd (Re-Align. 75000260),			PLN/PD&E		0.124												
		e Orlando	Shadowridge Dr / Hazeltine National Dr			PE	\$	0.618												
E0046	0			Oide	0.25	ROW	\$	0.062												
50216	Orange		Orlando	Orlando	Orlando	Orlando	Oriando	Offarido	Onando	From: Multiple locations To: -	Sidewalk	2.35	ENV	\$	0.852					
						CEI		0.124												
			Edgewater Dr/Highland Ave, Keene			PLN/PD&E		0.220												
			Rd/Sheeler Ave, Keene Rd, Piedmont Rd			PE		1.101												
50322	Orange	Orange County	From: Multiple locations	Sidewalk	4.18	ROW ENV		0.110												
			To: -			CST		2.202												
						CEI		0.220												
			51 5 And			PLN/PD&E		0.226												
			Edgewater Dr/Highland Ave, Lakeview Drive, SR-437 & CR-437			PE		1.128												
			2, 2 13. & 3 13.			ROW		0.113												
50155	Orange	Orange County	From: Multiple locations	Sidewalk	4.29	ENV		1.555												
o rung			To: -			CST		2.256												
						CEI	\$	0.226												

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Proje (20)	Total ect Cost 25 \$'s) in Millions
						PLN/PD&E	\$	0.242
			Edgewater Dr/Highland Ave, Overland Rd			PE	\$	1.212
50323	Orange	Orange County		Sidewalk	4.61	ROW	\$	0.121
00020	0.080	orango ocanic	From: Multiple locations To: -	oldo Italii.		ENV		1.672
			10			CST		2.425
						CEI		0.242
			Edgewater Dr/Highland Ave, SR500;SR50			PLN/PD&E		0.214
			To Lake			PE		1.072
50220	Orange	FDOT		Sidewalk	4.07	ROW		0.107
			From: Multiple locations To: -			ENV		1.478
								2.144
								0.214
			Epcot Center Dr, International Dr,		PLN/PD&E		0.246	
			International Dr					
50329	Orange	Orange County	From: Multiple locations	Sidewalk	4.68		1.47 1 \$ 2.14 1 \$ 0.21 2 \$ 0.24 3 \$ 0.12 4 \$ 1.69 5 \$ 0.24 5 \$ 0.24 6 \$ 0.23 6 \$ 1.17	
			To: -					
						PLN/PD&E		
			Exchange Dr / Presidents Dr, Sand Lake Rd/Mccoy Rd/Beachline Expy					1.175
			Na/ Wiccoy Na/ Beachine Expy			ROW		0.118
50331	Orange	Orange County	From: Multiple locations	Sidewalk	4.47	ENV		1.620
			To: -			CST		2.350
						CEI		0.235
			Ficquette Rd, Overstreet Rd, Phil Ritson			PLN/PD&E		0.220
			Way, Reams Rd/Silverlake Park Dr, Seidel					
			Rd / Lake Hancock Rd			PE		1.100
50146	Orange	Orange County		Sidewalk	4.18	ROW	\$	0.110
		- 1	From: Multiple locations To: -			ENV	\$	1.517
			To: -			CST	\$	2.201
						CEI	\$	0.220

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			From Maitland Blvd EB To Orlando Ave, Mills & Thornton St, Mills Ave, SR-15 From SR-528 To CR-527, SR-15/SR- 526/SR-600, SR-15/SR-526/SR- 600/Garland Ave, SR-424/SR-434, SR-			PLN/PD&E	\$ 0.332
			434/John Young Pwky Ext, SR 414 From Lake Destiny To SR 15/SR 600, SR426;SR42			PE	\$ 1.659
50221	50221 Orange	FDOT		Sidewalk	6.30	ROW	\$ 0.166
			From: Multiple locations To: -			ENV	\$ 2.287
						CST	\$ 3.317
						CEI	\$ 0.332
				Oak Island Road does not appear to be apart of this sidewalk bundle and Morgan Williams Road was added. Please switch these two roadways.		PLN/PD&E	\$ 0.222
			Funie Steed Rd / Oak Island Rd, Old Lake Wilson Rd, Sherberth Rd	Funie Steed Rd needs sidewalks on both sides of the roadway from east of Banana Palm Dr to west of Sunset Lakes Blvd, to the north of the roadway		PE	\$ 1.110
50228	Osceola	Osceola County		from Sunset Vista Blvd to east of Surf St, both sides of the roadway from east of Formosa Gardens Blvd to west of Westgate Blvd, to the north from	4.22	ROW	\$ 0.111
30220	OSCEOID	Oscolia County	From: Multiple locations To: -	Westgate Blvd to Entry Point Blvd, and both sides of the roadway from Entry Point Blvd to Old Lake Wilson Blvd.	7.22	ENV	\$ 1.531
		2.1	Morgan Williams Rd needs sidewalks along both sides of the roadway from Old Lake Wilson Blvd to Us 192. Sherberth Road needs sidewalks along both sides of the roadway from		CST	\$ 2.220	
				beyond the Ette Hotel Orlando to Osceola/Orange County line		CEI	\$ 0.222

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.209
			Golden Gem Rd			PE	\$ 1.047
50161	Orange	Orange County		Sidewalk	3.98	ROW	\$ 0.105
		, and the same	From: Multiple locations To: -			ENV	\$ 1.443
			10			CST	
						CEI	
						PLN/PD&E	
			Goodman Rd			PE	
50225	50225 Osceola Osceola Count	Osceola County	From: Multiple legations	Sidewalks will need to be added along the entire length of this critical sidewalk bundle	3.18	ROW	
			From: Multiple locations To: -	Sidewalk buildle		ENV	
						CST CEI	
						PLN/PD&E	
			Goodman Rd			PE	
			documenta	Sidewalks will need to be added along the entire length of this critical		ROW	
50226	Osceola	Osceola County	From: Multiple locations	sidewalk bundle	3.09	ENV	
			То: -			CST	
						CEI	\$ 0.163
			Greenway Blvd, Greenwood Blvd, Lake			PLN/PD&E	\$ 0.223
			Emma Rd, Lake Mary Blvd, Longwood			PE	\$ 1.115
			Lake Mary Rd, SR-15/SR-600/CR-15				
50264	Seminole	Seminole	France Multiple legations	Sidewalk	4.24	ROW	
		County	From: Multiple locations To: -			ENV	\$ 1.537
						CST	\$ 2.230
						CEI	\$ 0.223
			H.M. Bowness Rd, Kissimmee Ave,			PLN/PD&E	\$ 0.222
			SR438, SR439, SR545-SR50, Story Rd			PE	\$ 1.111
50198	Orango	00000		Please consider 6' sidewalks. The City's LDC, which is being revised will	4.22	ROW	\$ 0.111
20190	Orange	Ocoee	From: Multiple locations	require 6' sidewalks.	4.22	ENV	\$ 1.531
			10: -	To: -		CST	\$ 2.221
						CEI	\$ 0.222

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
			Hoffner Ave, McCoy Rd, Orange Ave,1- Way Sb, Sand Lake Rd/McCoy			PLN/PD&E	\$ 0.242
			Rd/Beachline Expy, SR-527 And SR-426, SR435;SR482 To SR50, SR436;SR528 To Sem, SR50;SR500 To Brevard			PE	\$ 1.210
						ROW	\$ 0.121
50222	Orange	FDOT	From: Multiple locations To: -	Sidewalk	4.60	ENV	\$ 1.669
						CST	\$ 2.420
						CEI	\$ 0.242
			Honour & Rio Grande, John Young Pkwy, John Young Pkwy, Mandarin Dr/Vanguard			PLN/PD&E	\$ 0.172
			St, Texas Ave, Universal Blvd			PE	\$ 0.858
50330	Orongo	Orange County		Sidewalk	3.26	ROW	\$ 0.086
50550	Orange	Orange County	From: Multiple locations To: -	Sidewalk	3.26	ENV	\$ 1.184
			10			CST	\$ 1.717
						CEI	\$ 0.172
						PLN/PD&E	\$ 0.233
			Jones/Pinegrove Rd			PE	
50242	Osceola	Osceola County		Pinegrove needs sidewalk on both side (part of the roadway)	4.44	ROW	
			From: Multiple locations To: -	, ,		ENV	
			10.			CST	
	_					CEI	
			Janes /Dinagraya Dd. Lladorycad Avia			PLN/PD&E PE	
			Jones/Pinegrove Rd, Underwood Ave	1. Jones Rd need sidewalk on both side of the roadway		ROW	
50241	Osceola	Osceola County	From: Multiple locations	2. Underwood Ave needs sidewalk on one side	4.24	ENV	
			To: -	3. Eden Drive needs sidewalk on both side		CST	
						CEI	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	
			Keene Rd, Marden Rd			PE	
50201	Orange	Apopka	Farma Markin In Incentions	Sidewalk	4.05	ROW	
	From: f	From: Multiple locations To: -			ENV		
					CST CEI		
					PLN/PD&E		
			Keene Road, McCormick Rd			PEIN/PDQE	
			Reene Road, McConnick Rd			ROW	
50153	Orange	Orange County	From: Multiple locations	4.30	ENV		
			To: -	To: -		CST	
						CEI	\$ 0.226
			Keller Rd, Kennedy/Lake Ave, Kewannee Trl, Lake Destiny Rd, Maitland Ave,			PLN/PD&E	\$ 0.227
			Oranole Rd, Park Ave, Temple Dr, Tuscarora Trl, Temple Dr-Seminole			PE	\$ 1.137
50204	Orange	Maitland		Adding sidewalk to areas with gaps to increase connectivity of the network	4.32	ROW	\$ 0.114
			From: Multiple locations To: -			ENV	\$ 1.567
						CST	\$ 2.274
						CEI	\$ 0.227
						PLN/PD&E	
			Lake Destiny Rd			PE	
50205	Orange	Eatonville	France Maritim In Incoming	Sidewalk	0.35	ROW	
			From: Multiple locations To: -			ENV	
			To: -			CST	
						CEI	\$ 0.019

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.241
			Lake Pickett Rd			PE	\$ 1.203
50188	Orange	Orange County		Sidewalk	4.57	ROW	\$ 0.120
00200		orango odane,	From: Multiple locations To: -	oldo Itali.		ENV	
			10			CST	
						CEI	
					PLN/PD&E		
			Lakeshore Blvd, Tenth St	Rummel Rd needs sidewalk on both side.		PE	
50240	Osceola	Osceola County		Ruffiller Rd fleeds sidewalk on both side. 10th St needs sidewalk on both side part of the roadway and only on one	4.18	ROW	
		From: Multiple locations To: -	side part of the roadway		ENV		
				CST			
						CEI	
						PLN/PD&E	
			Markham Woods Rd			PE	
50263	Seminole	Seminole County	From: Multiple locations	Sidewalk	3.98	ROW	
		County	To: -			ENV CST	
						CSI	
						PLN/PD&E	
			Martin Luther King Jr Blvd, SR-15/SR- 600/CR-15, W Airport Blvd			PE PE	
		Seminole	600/ CR-13, W All port Bivu			ROW	
50267	Seminole	County	From: Multiple locations	Sidewalk	3.95	ENV	
			To: -			CST	1
						CEI	
						PLN/PD&E	
			McCoy Rd, Nela Ave, Seminole D			PE	
50555				<u></u>		ROW	\$ 0.053
50207	Orange	Belle Isle	From: Multiple locations	Sidewalk	2.01	ENV	\$ 0.730
			To: -			CST	\$ 1.059
						CEI	\$ 0.106

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.180
			Moss Park Rd, Tyson Rd/Kirby Smith Rd			PE	\$ 0.899
50192	Orange	Orange County		Sidewalk	3.42	ROW	\$ 0.090
			From: Multiple locations To: -			ENV	1
			10			CST	
						CEI	
	N Tubb St, SR438,439;SR545-SR50					PLN/PD&E	
				PE			
50208	Orange	Oakland		Sidewalk	2.25	ROW	
			From: Multiple locations To: -			ENV	
						CST	
						CEI	
						PLN/PD&E	
			Old Tampa Hwy			PE	
50233	Osceola	Osceola County	From: Multiple locations	Old Tampa Hwy needs sidewalks along both sides of the roadway from US 192 to east of Nocatee St.	4.08	ROW \$	
			To: -	202 to cook of Hoodies of		CST	1
						CEI	
						PLN/PD&E	
			Old Tampa Hwy			PE	
				Old Tampa Hwy will need sidewalks along both sides of the roadway from east		ROW	
50234	Osceola	Osceola County	From: Multiple locations	of Nocatee St. to west of Broad St.	4.26	ENV	
			To: -			CST	-
						CEI	
						PLN/PD&E	
			Ondich Rd			PE	\$ 1.130
E0.100		0 0		014 "	4.00	ROW	\$ 0.113
50160	Orange	Orange County	From: Multiple locations	Sidewalk	4.29	ENV	\$ 1.558
			To: -			CST	\$ 2.260
						CEI	\$ 0.226

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.220
			Orange Blvd			PE	\$ 1.099
50266	Seminole	Seminole		Sidewalk	4.18	ROW	
	County	County	From: Multiple locations To: -			ENV	
			10			CST	
					CEI		
				1. Oren Brown Rd need sidewalks along the north side of the roadway from		PLN/PD&E	\$ 0.283
			Oren Brown Rd, Poinciana Blvd	US 192 to N Poinciana Blvd and to the south side of the roadway from US 192 to east of Marcello Blvd, from N Roma Way to Seasons Blvd, and from		PE	\$ 1.416
50232	Osceola	Osceola County		Arisha Dr to N Poinciana Blvd.	5.38	ROW	\$ 0.142
50232	Osceola	Osceola County	From: Multiple locations	2. Poinciana Blvd needs sidewalks to the west of the roadway from Cedar Bay	5.36	ENV	\$ 1.953
			To: -	Ter to Osceola County Fire Rescue Station #42 and to the east of the Roadway from Osceola County Fire Rescue Station #42 to south of Oren		CST	\$ 2.832
				Brown Rd		CEI	\$ 0.283
				Osceola Pkwy needs sidewalks along both sides of the roadway from the		PLN/PD&E	\$ 0.222
			Osceola Pkwy, Polynesian Isle Blvd	SR 417 NB on ramp (Osceola Pkwy EB direction) to just east of N Poinciana		PE	\$ 1.108
50230	Osceola	Osceola County		Blvd. 2. Polynesian Isle Blvd needs sidewalk to the west of the roadway from the	4.21	ROW	\$ 0.111
30230	Osceola	Osceola County	From: Multiple locations	intersection of Polynesian Isle Blvd and US 192 to the first access road on the		ENV	\$ 1.527
			To: -	left and to the east of the roadway from the first access road on the right to		CST	\$ 2.216
				just south of Paradise Cay Cir.		CEI	\$ 0.222
			Oviedo Marketplace Blvd, S Lake Jessup			PLN/PD&E	\$ 0.082
			Ave, SR 426 / CR 426, SR 434/Orange Co Line To Broadway Ave			PE	\$ 0.412
50277	Seminole	Oviedo		Construction sidewalk to fill in areas with gaps of no sidewalk.	1.57	ROW	\$ 0.041
50211	Seminole	Oviedo	From: Multiple locations To: -	Construction sidewain to till in areas with gaps of 110 Sidewain.	1.57	ENV	\$ 0.569
		To: -			CST	\$ 0.825	
					CEI	\$ 0.082	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.062
			Oxford Rd/S Sunset Dr/N Sunset Dr			PE	\$ 0.309
50276	Seminole	Casselberry		Sidewalk	1.03	ROW	\$ 0.031
		,	From: Multiple locations To: -			ENV	
			10			CST	
						CEI	
					PLN/PD&E		
			Pine Tree Dr	Pine Tree Drive needs sidewalk only on one side from Canoe Creek Rd to		PE	
50246	Osceola	ceola Osceola County Kaleigh Ct (park of the roadway). And on both side from Cord Ave to Hickory	4.20	ROW			
			From: Multiple locations To: -	Tree Rd		ENV	1
					CST CEI		
						PLN/PD&E	
			Plymouth-Sorrento Rd			PE	
			Tiymouti Soffento Nu			ROW	
50162	Orange	Orange County	From: Multiple locations	Sidewalk	3.65	ENV	
			To: -			CST	
						CEI	
			Plymouth-Sorrento Rd, Round Lake			PLN/PD&E	\$ 0.213
			Rd/Junction Rd/Ponkan Rd			PE	\$ 1.063
50450	0	0 0		0.1	4.04	ROW	\$ 0.106
50156	Orange	Orange County	From: Multiple locations	Sidewalk	4.04	ENV	\$ 1.465
			To: -			CST	\$ 2.125
						CEI	\$ 0.213
			Ponkan Rd, Sand Lake Rd/Line Dr,			PLN/PD&E	\$ 0.207
			Thompson Road			PE	\$ 1.036
50164	Orange	Orange County		Sidewalk	3.94	ROW	\$ 0.104
	2.280	2.2	From: Multiple locations	2.23.16.1.	3.94 ENV		
			To: -			CST	
						CEI	\$ 0.207

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
						PLN/PD&E	\$ 0.118
			Range Line Rd			PE	\$ 0.236
50275	Seminole	Longwood		Multi-Use Path on West side of Range Line Rd	0.47	ROW	\$ 0.020
30213	Jozza Seminole Longwood	From: Multiple locations To: -	maia soci adii on meet sac si nange zine na	0.11	ENV		
			10			CST	
						CEI	
			Red Bug Lake Rd/Slavia Rd, SR 426 / CR			PLN/PD&E	
			426			PE	
50271	Seminole	Seminole		Sidewalk	4.77	ROW	
		County	From: Multiple locations To: -			ENV	
			•			CST	
						CEI	
			B 10 : 1 B 1 N 4 N B 1 11 B 1			PLN/PD&E	
			Rock Springs Rd N/Mt Plymouth Rd			PE ROW	
50163	Orange	Orange County	From: Multiple locations	Sidewalk	4.57	ENV	
			To: -			CST	
					CEI		
						PLN/PD&E	
			Round Lake Rd/Junction Rd/Ponkan Rd			PE	
			Theuria Zane Hay sarretter Hay Ferman Ha			ROW	
50159	Orange	Orange County	From: Multiple locations	Sidewalk	4.08	ENV	
			То: -			CST	
						CEI	\$ 0.215
						PLN/PD&E	\$ 0.211
			S Orange Blossom Trl/John Young Pkwy			PE	\$ 1.054
E00E0	Opposit	FDOT		Cidouall	4.04	ROW	\$ 0.105
50258	Osceola	FDOT	From: Multiple locations	Sidewalk	4.01	ENV	\$ 1.453
		To: -			CST	\$ 2.108	
						CEI	\$ 0.211

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Pro. (20	Total ject Cost 025 \$'s) on in Millions
						PLN/PD&E	\$	0.179
			Sadler Rd			PE	\$	0.893
50158	Orange	Orange County		Sidewalk	3.39	ROW		0.089
	5.5g5	orange county	From: Multiple locations To: -			ENV		1.231
			10			CST		1.786
						CEI		0.179
						PLN/PD&E		0.257
			Sadler Rd, Trimble Park Rd/Earlwood Ave			PE		1.283
50157	Orange	Orange County	Frame Multiple legations	Sidewalk	4.88	ROW		0.128
			From: Multiple locations To: -			ENV		1.769
						CST		2.567
						CEI		0.257
			0	1 Condhill Dood will need sidewalks to the parth of the readway from		PLN/PD&E		0.198
			Sand Hill Rd / Formosa Gardens Blvd	Sandhill Road will need sidewalks to the north of the roadway from Formosa Gardens Blvd to the west of the Indian Ridge Villas development and			\$	0.990
50227	Osceola	Osceola County	From: Multiple locations	from Indian Oaks Trail to east of Four Seasons Blvd.	3.76	ENV		1.366
			To: -	Formosa Gardens Blvd will need sidewalks to the east of the roadway from Sandhill Road to Mystic Dunes Ln.		CST		1.981
				Sandilli rioda to injecto barice Elli		CEI		0.198
			Sb One Way @ SR 436, SR 436 From 441			PLN/PD&E		0.193
			To Sheeler, SR500;SR50 To Lake, Wb SR					
			436 To Nb Us 441			PE	\$	0.963
50219	Orange	FDOT		Sidewalk	3.66	ROW	\$	0.096
00210	Grango	1501	From: Multiple locations To: -	Cideman	0.00	ENV	\$	1.328
						CST	\$	1.926
						CEI	\$	0.193
			Sidney Hayes Rd, Taft-Vineland Rd,			PLN/PD&E	\$	0.241
			Thorpe Rd			PE	\$	1.204
50334	Orange	Orange County		Sidewalk	4.57	ROW	\$	0.120
30334	Orange	Grange County	From: Multiple locations	Gidewalk	4.51	ENV	\$	1.660
			To: -			CST	\$	2.407
				CEI	\$	0.241		

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Proje (20)	otal ect Cost 25 \$'s) in Millions
			SR-436 Off Ramp To Red Bug Lake Rd, SR434;SR15-SR426, SR46;Lake C.L			PLN/PD&E		0.279 1.393
			SR15, SR500;SR50 To Lake			ROW		0.139
50280	Seminole	FDOT	From: Multiple locations	Sidewalk	5.29			
			To: -			ENV		1.920
						CST		2.786 0.279
						PLN/PD&E		0.110
			SR438;SR437 To SR500					0.551
50000		50.5		Please consider 6' sidewalks. The City's LDC, which is being revised will	0.00	ROW		0.055
50223	Orange	FDOT	From: Multiple locations require 6' sidewalks.		2.09	ENV	\$	0.759
			To: -			CST	\$	1.101
								0.110
						PLN/PD&E		0.220
			SR500;SR50 To Lake					1.098
50217	Orange	FDOT	From: Multiple locations	Sidewalk	4.17			1.514
			То: -					2.196
								0.220
						PLN/PD&E	\$	0.224
			SR500;SR50 To Lake			PE	\$	1.119
50218	Orange	FDOT		Sidewalk	4.25	ROW		0.112
			From: Multiple locations To: -					1.543
								2.239
						PLN/PD&E		0.224
			SR530;Lake - Osceola, US-192/Vine St					0.948
50050	0	FDOT		0:4- "	2.00	ROW	E \$ 0.13 E \$ 0.58 V \$ 0.09 V \$ 0.79 T \$ 1.10 E \$ 0.22 E \$ 1.09 V \$ 1.52 T \$ 2.19 E \$ 0.22 E \$ 0.23 E \$ 0.23 E \$ 0.25 E \$ 0.35 E \$	0.095
50256	Osceola	FDOT	From: Multiple locations	Sidewalk	3.60	ENV	\$	1.308
			To: -		CST	\$	1.897	
						CEI	\$	0.190

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
50253	Osceola	St. Cloud	Tenth St. From: Multiple locations To: -	Missing segments of sidewalk along 10th Street from 13th Street to Narcoossee Road to be constructed with the 10th Street Urban Corridor Improvement project.	3.34	PLN/PD&E	\$ 0.100
						PE	\$ 0.502
						ROW	\$ 0.050
						ENV	
						CST	
						CEI	\$ 0.100
		Orlando	Tradeport Drive From: Multiple locations To: -	Sidewalk	4.26	PLN/PD&E	
						PE	
50214	Orange					ROW	\$ 0.112
55221	J					ENV	
						CST	
						CEI	
	Osceola	FDOT	US-192/Vine St From: Multiple locations To: -	Sidewalk	3.90	PLN/PD&E	
						PE	
50257						ROW	
						ENV	· ·
						CST	
						CEI	
	Orange	Orange County	Wymore Rd: Fairbanks Ave-Seminole From: Multiple locations To: -	Sidewalk	3.05	PLN/PD&E	
						PE	
50326						ROW	
						ENV	
						CST	
						CEI	
50203	Orange	Apopka	Yothers Rd From: Multiple locations To: -	Sidewalk	3.04	PLN/PD&E	
						PE	
						ROW	
						ENV	
						CST	
						CEI	\$ 0.160

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
	Orange	Orange County	where possible. Consider installing a crosswalk with an RRFB north of	Creekwood Drive. Move bus stops that are south of Lancaster Rd, closer to the intersection (north). Evaluate walking and biking routes to the school		PLN/PD&E	\$ 0.292
						PE	\$ 0.390
50281					1.00	ROW	\$ 0.049
						ENV	\$ 0.312
						CST	\$ 0.974
					CEI	7 0.000	
	Orange	Orange County		Conduct a detailed assessment to identify feasibility improvement	1.19	PLN/PD&E	\$ 0.346
			Lancaster Rd opportunities, which could include lane repurposing (AADT between 16,6	opportunities, which could include lane repurposing (AADT between 16,600 and 17,900 over the past 5 years) and adding protected bikeways. If lane		PE	\$ 0.462
50282				repurposing is not feasible, there could be opportunities to narrow travel lanes, converting the TWLTL to a landscaped median, and/or provide		ROW	\$ 0.058
			From: US 17/92/441 / Orange Blossom			ENV	\$ 0.369
			Trl improved walking routes to the school. Evaluate placement of marked a To: Calypso Dr controlled crossings along the roadway in relationship to activity centers consider converting RRFB at Voltaire Drive to a PHB.	controlled crossings along the roadway in relationship to activity centers;		CST	\$ 1.154
					CEI	\$ 0.115	
	Orange	Orange County	Dixie Belle Dr Widen the sidewalk on the west side of the corridor and maintaining a landscape buffer between the road and the sidewalk. Evaluate the potential to provide crosswalks across two residential entrances and at transit stops and incorporate traffic calming and urban corridor improvements (including PHBs at crosswalks) to support safe routes to school.		PLN/PD&E	\$ 0.149	
				Widen the sidewalk on the west side of the corridor and maintaining a	0.51	PE	\$ 0.299
50283						ROW	\$ 0.025
				0.51	ENV	\$ 0.183	
					CST	\$ 0.498	
					CEI	\$ 0.050	
	Osceola	Osceola County	1. Mercantile Ln needs sidewalks along both sides of the roadway from Poinciana Blvd to Enterprise Dr. 2. Enterprise Dr. needs sidewalks along both sides of the roadway from		PLN/PD&E	\$ 0.344	
50284				·	6.54	PE	\$ 1.721
				Marcantile Ln to Boscobel Dr and along the south side of the roadway from Boscobel Dr to Cattle Dr		ROW	\$ 0.172
			From: Multiple locations To: -	3. Cattle Drive will need sidewalks along both sides of the roadway from the southern intersection of Ham Brown Rd and Cattle Dr to the side access road	0.54	ENV	\$ 2.374
			to Horizon Middle School along Cattle Dr and will need sidewalk to the south of the roadway from the side access road to Horizon Middle School along Cattle Dr to the northern intersection of Ham Brown Rd and Cattle Dr.			CST	\$ 3.443
					CEI	\$ 0.344	

MTP ID#	County	Implementing Agency	Facility Name & Limits	Project Description	Length (miles)	Project Phase	Total Project Cost (2025 \$'s) Shown in Millions
	Osceola	Osceola County	From: Multiple locations To: -	These locations are apart of the Osceola County ADA Transition Plan. 1. Marigold Ave needs sidewalks along both sides of the roadway from Poinciana Pkwy to Peabody Rd and to the north of the roadway from San Lorenzo Rd to the 7-11 access road along Marigold Rd. 2. KOA St needs sidewalks to the north of the roadway from Marigold Ave to San Lorenzo Rd and from Marigold Ave to N Doverplum Ave, and to the south of the roadway from KOA Elementary School to Berkshire Rd. 3. Doverplum Ave needs sidewalks to the west of the roadway from KOA St to Cypress Pkwy and on both sides of the roadway from Cypress Pkwy to Old Pleasant Hill Rd. 4. Cypress Pkwy needs sidewalks along both sides of the roadway from Solivita Blvd to Poinciana Pkwy and needs sidewalks to the north of the roadway from Solivita Blvd to the Poinciana Towne Center entrance. 5. Old Pleasant Hill Rd needs sidewalks on the east side of the roadway from Cypress Pkwy to the end of Old Pleasant Hill Rd. 6. Pleasant Hill Rd needs sidewalk to the west of the roadway from Isle of Bellalago Dr to CPCA Poinciana Campus, from CPCA Poinciana Campus to just south of Reaves Rd, and from Master Brighton Lakes Academy to south of Granada Blvd.	13.21	PLN/PD&E	\$ 0.695
50285						PE	\$ 3.476
						ROW	\$ 0.348
						ENV	\$ 4.793
						CST	\$ 6.953
						CEI	\$ 0.695
	Osceola	Osceola County	Carroll St, Florida Pkwy, Michigan Ave, Old Dixie Hwy, Osceola Pkwy, SR 600 / CR 525 / John Young Pkwy	The following roadway segments are listed in the Osceola County ADA Transition Plan: Donegan Ave, Michigan Ave 1. Carroll St needs sidewalk along both sides of the roadway from Donegan Ave to Michigan Ave. 2. Old Dixie Hwy needs sidewalk along both sides of the roadway from Donegan Ave to just south of Osceola Pkwy. 3. Osceola Pwky needs sidewalk along both sides of the roadway from just east of John Young Pkwy to just east of Greenwalk Way, to the south of the roadway just before US 441, and on both sides of the roadway from S Orange Ave to Michigan Ave and from Bill Beck Blvd to Plumwood Cir. 4. Michigan Ave needs sidewalk to the east of the roadway from the intersection of Michigan Ave/Osceola Pkwy and Ridge St.		PLN/PD&E	\$ 0.291
50286						PE	\$ 1.454
			From: Multiple locations To: -		5.52	ROW	\$ 0.145
					5.52	ENV	\$ 2.004
						CST	\$ 2.907
				5. Florida Pkwy needs sidewalk to the east of the roadway from Osceola Pkwy to Parkway Middle School.		CEI	\$ 0.291

Source: 2050 Metropolitan Transportation Plan Needs Assessment & Active Transportation Plan (2024)





MetroPlanOrlando.gov 250 S. Orange Ave., Suite 200 Orlando, FL 32801

MTP@MetroPlanOrlando.gov

(407) 481-5672

















